

PEST CONTROL SERVICES

Advice to Customer

To deal with rats/mice/insects in your premises the Council's Pest Control Officer has placed poison baits/or treated with insecticide in carefully selected points which should not be disturbed.

The poison used is approved for domestic and commercial use (e.g. houses, flats and schools) under the Control of Pesticides Regulations 1986. However, your co-operation is requested in adopting the following precautions to further minimise any risks to occupants and pets, and to ensure an effective treatment.

Precautions

- Avoid all contact by mouth.
- Do not let children or pets, particularly dogs, have access to the bait.
- In case of an accident, contact a doctor or veterinarian and show this leaflet.
- Maintain a high standard of cleanliness. Do not allow refuse to collect unnecessarily and clear surplus pet food after feeding. Do not feed birds in the garden as this may attract rodents.

The poison bait used on your premises is detailed below together with its active ingredient and antidote (Operator to tick relevant box)

Sakarot	0.0029% Brodifacoum	Vitamin K1	
Rodilon	0.0025% Difethialone	Vitamin K1	
Sorex	0.005 % Difenacoum	Vitamin K1	
Solentra	0.075 % Colecalciferol	Treat symptomatically	
Vulcan Dust	0.5% permethrin	Treat symptomatically, do not induce vomiting	
K-Ortherine	Deltamethrin	Treat symptomatically	
FICAM D	Bendiocarb 1,25 % w/w	Treat symptomatically	
Flying Insect Spray	D-Tetramethrin 0.15% & D-Phenothrin 0.15%	Treat symptomatically	
Wasp Nest Destroyer (Digrain)	0.25% Permethrin, 0.24% Tetramethrin	Treat symptomatically, do not induce vomiting	
Maxforce	0.03% imidacloprid	Treat symptomatically. If ingested nil by mouth, seek medical advice	
Provecta	Polyalkyleneoxide modified heptamethyltrisiloxane	Treat symptomatically, do not induce vomiting	

COSHH sheets for these chemicals are viewable online at www.wolverhampton.gov.uk/environment-and-climate/pest-control

